



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re: Smith et al

Group Art Unit: 3762

Application No.: 10/777,441

Confirmation No.: 4786

For:

Filed: February 12, 2004

METHODS, DEVICES, SYSTEMS AND COMPUTER PROGRAM

PRODUCTS FOR OSCILLATING SHAFTS USING REAL TIME 3D

ULTRASOUND

November 24, 2004

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT **UNDER 37 C.F.R. § 1.97(b)**

Sir:

Attached is a Form PTO-1449, together with a copy of the listed documents. A copy of any listed U.S. patent and/or U.S. patent application publication is not provided herewith in accordance with the amendment to 37 C.F.R. §1.98(a)(2) effective October 21, 2004.

It is requested that these documents be considered by the Examiner and officially made of record in accordance with the provisions of 37 C.F.R. § 1.56 and Section 609 of the MPEP.

No fee is believed due. However, the Commissioner is hereby authorized to charge any deficiency or credit any overpayment to Deposit Account No 50-0220.

submitted,

Robert N. Crouse

Registration No. 44,635

Myers Bigel Sibley & Sajovec, P.A.

P. O. Box 37428

Raleigh, North Carolina 27627 Telephone: (919) 854-1400

Facsimile: (919) 854-1401

Customer No. 20792

CERTIFICATE OF MAILING UNDER 37 CFR § 1.8

I hereby certify that this paper or fee is being deposited with the United States Postal Service under 37 CFR 1.8 on the date indicated above and is addressed to Mail Stop Amendment, Commissioner of Patents, P.O. Box 1450, Alexandria, VA

22313-1450.

				 						
FORM PTO		U.S. Department at and Trademark		Attorney Docket Number 5405.305			Serial No. 10/777,441			
LIST		ED BY APPLICA								
OIP	e several sheets if	necessary)	Applicants: Smith et al.							
NOV 2 9 2			Filing Date:			Group:				
					February 12, 2004			3762		
February 12, 2004 U. S. PATENT DOCUMENTS										
Examiner Initial		Document Number	Date	N	ame	Class	Subclass	Filing Date if Appropriate		
		4,694,434	6/12/84	Von Ramm	et al.	367	007			
	1.	5,161,536	3/22/91	Vilmoerson e	et al.	600	443			
	2.	5,329,927	7/19/94	Gardineer et	al.	600	439			
	3.	5,343,665	6/28/93	Palmersten		052	588.1			
	4.	5,421,336	4/4/94	De Benardis		600	461			
	5.	5,425,370	3/23/94	Vilkomerson		600	463			
	6.	5,546,807	12/2/94	Oxaal et al.		073	606			
	7.	5,838,828	12/12/95	Mizuki et al.		382	236			
	8.	5,967,991	12/3/96	Gardineer et a	al.	600	461			
	9.	5,968,085	4/20/98	Morris et al.		607	116			
	10.	6,241,675	6/7/99	Smith et al.		600	443			
	11.	6,544,178	11/6/00	Grenon et al.		600	443			
			FOREIGN	PATENT DOO	CUMENTS					
		Document Number	Date	Со	untry	Class	Subclass	Translation Yes No		
		OTHER DOCL	IMENTS (Includ	ing Author, Tit	le, Date, Pertir	nent Pages	, Etc.)			
	12.	Ahmad M, Xie TR, McCulloch M, Abreo G, Runge M, Real-time three-dimensional dobutamine stress echocardiography in assessment of ischemia: Comparison with two-dimensional dobutamine stress echocardiography, <i>J. Amer. Coll. Card.</i> , 37, pp. 1303-1309, 2001.								
	13.	during perio	Armstrong G, Cardon L, Vilkomerson D, et al. Localization of needle tip with color Doppler during pericardiocentesis: In vitro validation and initial clinical application <i>J Am Soc Echocardiog</i> 14 (1), pp. 29-37 Jan 2001.							
	14.	Breyer, B. and Cikes, I, Ultrasonically marked catheter – a method for positive echographic guidance of catheters and other minimally invasive medical devices, <i>Med. and Biol. Eng. and</i>								

		S. Department of Commerce and Trademark Office	Attorney Docket Number 5405.305	Serial No. 10/777,441				
LIST OF	DOCL	UMENTS CITED BY APPLICANT						
10116	() se s	everal sheets if necessary)						
NOV 2 9 2004	<u>3</u>]		Applicants:					
2 2004	<u></u>		Smith et al.					
The oxe			Filing Date:	Group:				
PARADENARY OF			February 12, 2004	3762				
	Comput, 22, pp. 268-271, 1984.							
]	15.	Firek B, Higginbotham M, Russel S, Adams D, Landolfo C, Kisslo J, Initial experience with volume-rendered, real-time three dimensional echocardiography in right ventricular endomyocardial biopsy (abstract), <i>Eur. Heart J</i> , 21, pp. 3064, 2000.						
1	16.		nic stylets for needles and catheters, Ultras. Med.					
]	Menz V, Vilkomerson D, Ren JF, et al. Echocardiographic transponder-guided catheter ablation feasibility and accuracy, <i>J Interv Card Electr</i> 5 (2), pp. 203-209 2001.							
1	Merdes CL and Wolf PD, Locating a catheter transducer in a three-dimensional ultrasound imaging field, <i>IEEE Trans. Biomed. Eng.</i> 48, pp. 1444-1452, 2001.							
1	Nicholson NC, McDicken WN A comparison of coupling horns for waveguides used in medical ultrasonics <i>Ultrasonics</i> 34 (7), pp. 747-755 OCT. 1996.							
Qin JX, Jones M, Shiota T, Greenberg NL, Tsujino H, Firstenberg MS, Gupta PC Xu Y, Sun JP, Cardon LA, Odabashian JA, Flamm SD, White RD, Panza JA, Th								
			echocardiography for quantifying left ventricular					
	volumes in the presence of a left ventricular aneurysm: In vitro and <i>in vivo</i> studing Coll. Card, 36, pp. 900-907, 2000							
2	Ramaswami G, Al-Kutoubi A, Nicolaides AN, et al. Angioplasty of lower limb arterial stenoses under ultrasound guidance: Single-center experience, <i>J Endovasc Surg</i> 6 (1), pp 58 FEB 1999.							
2	Schmidt MA, Ohazama CJ, Agyeman KO, Freidlin RZ, Jones M, Laurienzo JM, Brenne CL, Arai AE, von Ramm OT, Panza JA, Real-time three-dimensional echocardiography							
		measurement of left ventricular volumes,						
2	23.		, Armstrong, G, Greenberg, NL and Thomas JD,					
		Detection of exact location of cardiac catheters using real time 3-dimensional echocardiography, <i>Jour. Amer. Coll. Card.</i> , 33, pp. 486A, 1999.						
	24.	Smith, S.W., Pavy, H.E., and von Ramm,		tric imaging				
		system part I: transducer design and beam steering," <i>IEEE Trans. Ultras., Ferro. and Freq. Control</i> , UFFC-38, pp. 100-108, 1991.						
	conhara NI Corden I A Manala a 1	NI Zotto AD						
2	25.	Tsujino H, Jones M, Shiota T, Qin JX, Gr Travaglini A, Bauer F, Panza JA, Thomas	•	· / /				
		echocardiography for characterizing the sp		* * j				
		flow rate in the left ventricular outflow tra	ict, Ultrasound Med. Biol., 27, pp. 69	-74, 2001.				
2	26.	Vilkomerson D, Lyons D A system for ultrasonic beacon-guidance of catheters and other						
		minimally-invasive medical devices, <i>IEEE</i> pp 496-504 Mar 1997.	Trans. Ultras., Ferro. and Freq. Control 44 (2),					
,	von Ramm, O.T., Smith, S.W., and Pavy, H.E., "High speed ultrasound volumetric imagin							
4	<i>د</i> ۱.	system part II: parallel processing and dis <i>Control</i> , <u>UFFC-38</u> , pp. 109-115, 1991.		0 0				
2	Webster, JG, Design of Cardiac Pacemakers, IEEE, New York, NY, pp. 148-149, 1995.							
l I				1				